



HOSE

DESCRIPTION OF THE ITEM		HOSE		
SPECIFICATION		DTD 458A Gr.A Gr.I		
PART NO. / DRAWING NO.		AE/54-1-06		
SIZES		Ø0.6 X 3.5 MM		
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.I		
OPERATING TEMPERATURE		- 55°C to +120°C		
END USE	SYSTEM	Structure Assy.		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)	

HOSE


DESCRIPTION OF THE ITEM		HOSE		
SPECIFICATION		DTD 458A Gr.A Gr.I		
PART NO. / DRAWING NO.		AE/54-1-08		
SIZES		Ø8.0 X 3.5 MM		
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.I		
OPERATING TEMPERATURE		- 55°C to +120°C		
END USE	SYSTEM	Structure Assy.		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)	

HOSE


DESCRIPTION OF THE ITEM	HOSE - LP	
SPECIFICATION	DTD 458A Gr.A Gr.I	
PART NO. / DRAWING NO.	AE/54-1-10	
SIZES	Ø10.0 X 3.5 MM	
MATERIAL SPECIFICATION	DTD 458A Gr.A Gr.I	
OPERATING TEMPERATURE	- 55°C to +120°C	
END USE	SYSTEM	Structure Assy.
	HELICOPTER /AIRCRAFT	Helicopters and other Aircraft wherever suitable
	LIFE	ON CONDITION
TEST SCHEDULE / TEST ORDER NO.	QTS/ALH/107 Date: 16.02.2009	
DEVELOPMENT AGENCY	M/s. AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----	RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)




HOSE

DESCRIPTION OF THE ITEM		HOSE - LP		
SPECIFICATION		DTD 458A Gr.A Gr.I		
PART NO. / DRAWING NO.		AE/54-1-16		
SIZES		Ø16.0 X 4 MM		
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.I		
OPERATING TEMPERATURE		- 55°C to +120°C		
END USE	SYSTEM	Structure Assy.		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)	


HOSE

DESCRIPTION OF THE ITEM		HOSE - LP		
SPECIFICATION		DTD458A Gr.A Gr.I		
PART NO. / DRAWING NO.		AE/54-1-18		
SIZES		Ø18.0 X 4 MM		
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.I		
OPERATING TEMPERATURE		- 55°C to +120°C		
END USE	SYSTEM	Structure Assy.		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)	


HOSE

DESCRIPTION OF THE ITEM		HOSE - LP		
SPECIFICATION		DTD 458A Gr.A Gr.I		
PART NO/DRAWING NO.		AE/54-1-20		
SIZES		Ø20.0 X 4 MM		
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.I		
OPERATING TEMPERATURE		- 55°C to +120°C		
END USE	SYSTEM	Structure Assy.		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)	

HOSE

DESCRIPTION OF THE ITEM		HOSE - LP		
SPECIFICATION		DTD 458A Gr.A Gr.I		
PART NO. / DRAWING NO.		AE/54-1-50		
SIZES		Ø50.0 X 5.5 MM		
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.I		
OPERATING TEMPERATURE		- 55°C to +120°C		
END USE	SYSTEM	Structure Assy.		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)	

HOSE

DESCRIPTION OF THE ITEM		HOSE -LP	
SPECIFICATION		DTD 458A Gr.A Gr.1	
PART NO. / DRAWING NO.		AE/54-1-63	
SIZES		Ø63.0 X 5.5 MM	
MATERIAL SPECIFICATION		DTD 458A Gr.A Gr.1	
OPERATING TEMPERATURE		- 55°C to +120°C	
END USE	SYSTEM	Structure Assy.	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/107 Date: 16.02.2009	
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2009 Date: 04.06.2009	TA 1174 (for rubber compound)