DESC	CRIPTION OF THE ITEM	Bolt	
SPEC	CIFICATION	LN 29522	
PART	Γ NO. / DRAWING NO.	BA/LN 29522-05	
SIZES	8	As per standard	
MATERIAL SPECIFICATION		WL 1.6604, 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	
OPEF	RATING TEMPERATURE	Operating range of helicopters and Airc	raft
	SYSTEM	Structure, Hydraulics & Integration of I	LRUs
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
	' SCHEDULE / ' ORDER NO.	QTS/ALH/056 Date: 28.04.2003, Issue-A	
DEVE	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 29522 -S05	
PART	Γ NO. / DRAWING NO.	BA/LN 29522- S05	
SIZES	S	As per standard	
MATERIAL SPECIFICATION		WL 1.6604, 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	
OPEF	RATING TEMPERATURE	Operating range of helicopters and Aircraft	
	SYSTEM	Structure, Power plant, Harpoon system	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
ODE	LIFE	ON CONDITION	
	SCHEDULE / CORDER NO.	QTS/ALH/056 Date: 28.04.2003, Issue A	
DEVELOPMENT AGENCY		M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE	
C	PROVISIONAL ELEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 29522 -06	
PART	Γ NO. / DRAWING NO.	BA/LN 29522-06	
SIZES	S	As per standard	
MAT	ERIAL SPECIFICATION	WL 1.6604, 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	
OPERATING TEMPERATURE		Operating range of helicopters and Aircraft	
	SYSTEM	Structure, Rotor System	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
COL	LIFE	ON CONDITION	
	SCHEDULE / CORDER NO.	QTS/ALH/056 Date: 28.04.2003, Issue-A	
DEVI	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	RIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 29522 - S 06	
PART	NO. / DRAWING NO.	BA/LN 29522 - S06	FILADADADADAD
SIZES		As per standard	
MATERIAL SPECIFICATION		WL 1.6604, 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	
OPER	ATING TEMPERATURE	Operating range of helicopters and Aircraft	
	SYSTEM	Structure, Flight Control, Transmission, Landing gear etc.	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
UDE	LIFE	ON CONDITION	
	SCHEDULE / ORDER NO.	QTS/ALH/056 Date: 28.04.2003, Issue-A	
DEVE	LOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	TE LIMITED, BANGALORE
Cl	PROVISIONAL LEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 29522- 08	
PART	NO. / DRAWING NO.	BA/LN 29522 - 08	
SIZES	8	As per standard	
MATERIAL SPECIFICATION		WL 1.6604, 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	
OPER	RATING TEMPERATURE	Operating range of helicopters and Aircraft	
	SYSTEM	Structure, Rescue Hoist, Cargo Hook, Flight Controls etc.	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
CDE	LIFE	ON CONDITION	
	' SCHEDULE / ' ORDER NO.	QTS/ALH/056 Date: 28.04.2003, Issue-A	
DEVE	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
C	PROVISIONAL LEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 29522 - S08	
PART	NO. / DRAWING NO.	BA/LN 29522 - S08	FINADOLANDA
SIZES	S	As per standard	
MATERIAL SPECIFICATION		WL 1.6604, 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	
OPER	RATING TEMPERATURE	Operating range of helicopters and Aircraft	
	SYSTEM	Structure, Transmission Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
	' SCHEDULE / ' ORDER NO.	QTS/ALH/056 Date: 28.04.2003, Issue-A	
DEVE	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE	
C	PROVISIONAL LEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	RIPTION OF THE ITEM	Bolt	
SPEC	IFICATION	LN 65405	
PART	NO. / DRAWING NO.	BA/LN 65405	
SIZES		M8	
MATE	ERIAL SPECIFICATION	WL 1.7220.5 OR 35NC6 OR S158 OR OR S149 SAE 8740, SAE 4340	S147
OPER	ATING TEMPERATURE	Operating range of helicopters and Airc	eraft
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
	SCHEDULE / ORDER NO.	QTS/ALH/IND-007 Date: 20.12.2002, Issue-2	
DEVE	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H)/LTCC/55-2/2003 Date: 23.01.2004	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 65405 -K8	
PART	Γ NO. / DRAWING NO.	BA/LN 65405- K8	
SIZES	S	As per standard	
MATERIAL SPECIFICATION		WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740 , SAE 4340	20-3
OPE	RATING TEMPERATURE	Operating range of helicopters and Aircr	aft
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
UDE	LIFE	ON CONDITION	
	SCHEDULE / SORDER NO.	QTS/ALH/IND-007 Date: 20.12.2002, Issue-2	
DEVI	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVATE	LIMITED, BANGALORE
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H)/LTCC/55-2/2003 Date: 23.01.2004	

DESCRIPTION OF THE ITEM		Bolt	
SPEC	IFICATION	LN 65405	
PART	NO. / DRAWING NO.	BA/LN 65405	
SIZES	8	M10	
MAT]	ERIAL SPECIFICATION	WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740, SAE 4340	
OPER	RATING TEMPERATURE	Operating range of helicopters and Airc	pra
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
	' SCHEDULE / ' ORDER NO.	QTS/ALH/IND-007 Date: 20.12.2002, Issue-2	
DEVE	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2003 Date: 16.10.2003	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 65405-K10	
PART	Γ NO. / DRAWING NO.	BA/LN 65405- K10	
SIZES	8	As per standard	
MATERIAL SPECIFICATION		WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740, SAE 4340	
OPEF	RATING TEMPERATURE	Operating range of helicopters and Aircraft	
	SYSTEM	Transmission Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
UDE	LIFE	ON CONDITION	
	SCHEDULE / ORDER NO.	QTS/ALH/IND-007 Date: 20.12.2002, Issue-2	
DEVI	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	'E LIMITED, BANGALORE
C	PROVISIONAL LEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2008 Date: 09.09.2008	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 9037	
PART	NO. / DRAWING NO.	BA/LN 9037	
SIZES	8	M4, M5, M6, M8, M10	
MAT	ERIAL SPECIFICATION	WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740,4340	
OPER	RATING TEMPERATURE	Operating range of helicopters and Airc	eraft
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
	' SCHEDULE / ' ORDER NO.	QTS/ALH/IND-007 Date: 20.12.2002	
DEVE	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2003 Date: 04.04.2003 & Date: 22.09.2004	

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 9037 - S06	
PART	ΓNO. / DRAWING NO.	BA/LN 9037- S06	
SIZES	S	As per standard	
MAT	ERIAL SPECIFICATION	WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740, 4340	
OPEF	RATING TEMPERATURE	Operating range of helicopters and Airc	craft
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
	SCHEDULE / CORDER NO.	QTS/ALH/IND-007 Date: 20.12.2002, Issue-2	
DEVI	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVAT	E LIMITED, BANGALORE
C	PROVISIONAL ELEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2003 Date: 04.04.2003	

DESCRIPTION OF THE ITEM		Bolt	
SPECIFICATION		LN 9038	
PART NO. / DRAWING NO.		BA/LN 9038	and the second second
SIZES		M3, M4, M5, M6, M8, M10	
MATERIAL SPECIFICATION		WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740, 4340	
OPERATING TEMPERATURE		Operating range of helicopters and Aircraft	
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
USE	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/IND-007 Date: 20.12.2002, Issue-2	
DEVELOPMENT AGENCY		M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H)/LTCC/55/2001 Date: 03.12.2001 & 29.08.2001 RCMA(H)/LTCC/55/2003 Date: 04.04.2003 & 19.05.2004	

DESCRIPTION OF THE ITEM		Bolt		
SPECIFICATION		LN 9038- K03, K04, K05, K06, K08, K10		
PART NO. / DRAWING NO.		BA/LN 9038-K 03, K04, K05, K06, K08, K10		
SIZES		As per standard		
MATERIAL SPECIFICATION		WL 1.7220.5 OR 35NC6 OR S158 OR S1 OR S149 SAE 8740,4340	47	
OPERATING TEMPERATURE		Operating range of helicopters and Aircraft		
	SYSTEM	Structure Assembly		
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
COL	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/IND-007 Date: 20.12.2002, Issue-2		
DEVELOPMENT AGENCY		M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
		RCMA(H)/LTCC/55/2001 Date: 03.12.2001 & 29.08.2001 RCMA(H)/LTCC/55/2003 Date: 04.04.2003 & 19.05.2004		

DESCRIPTION OF THE ITEM		Bolt		
SPECIFICATION		LN 9082		
PART NO. / DRAWING NO.		BA/LN 9082		
SIZES		Dia 8 & 10		
MATERIAL SPECIFICATION		WL 1.7220.5 OR 35NC6 OR S158 OR S147 OR S149 SAE 8740,SAE 4340		
OPERATING TEMPERATURE		Operating range of helicopters and Aircraft		
	SYSTEM	Power Plant System		
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
0.01	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/IND-007 Date: 20.12.2002, Issue-2		
DEVELOPMENT AGENCY		M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
		RCMA(H/C)/LTCC/55-2/2006 Date: 21.12.2006		

DESCRIPTION OF THE ITEM		Bolt		
SPECIFICATION		LN 9082 - 08S, 10S		
PART NO. / DRAWING NO.		BA/LN 9082 - 08S, 10S		
SIZES		Dia 8 & 10		
MATERIAL SPECIFICATION		WL 1.7220.5 OR 35NC6 OR S158 OR OR S149 SAE 8740,SAE 4340	S147	
OPERATING TEMPERATURE		Operating range of helicopters and Airc	raft	
	SYSTEM	Power Plant System		
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
COL	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/IND-007 Date: 20.12.2002, Issue-2		
DEVELOPMENT AGENCY		M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
		RCMA(H/C)/LTCC/55-2/2006 Date: 21.12.2006		

DESC	CRIPTION OF THE ITEM	Bolt	
SPECIFICATION		LN 9350	
PART NO. / DRAWING NO.		BA/LN 9350	3
SIZES		M6, M8	
MATERIAL SPECIFICATION		WL 1.6604 30NCD16 OR S158 OR S147 OR S149 OR MIL-S-5000 OR AMS 6322	No. of the second secon
OPERATING TEMPERATURE		Operating range of helicopters and Aircraft	
	SYSTEM	Structure Assembly	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
COL	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/056 Date: 28.04.2003, Issue-A	
DEVI	ELOPMENT AGENCY	M/s. BASHI AEROSPACE PRIVATE LIMITED, BANGALORE	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2006 Date: 21.12.2006 RCMA(H/C)/LTCC/55-2/2007 Date: 07.06.2007	

BOLTS & SCREWS

DESC	CRIPTION OF THE ITEM	Bolts & Screws	
SPECIFICATION		NFL	
PART NO. / DRAWING NO.		L22111, L22134, L22135, L22731 Series Bolts L22181 to L22189 & L22191 Series Screws	
SIZES		As per requirement	
MATERIAL SPECIFICATION		Steel 35NC6 or EN-24	
OPERATING TEMPERATURE		Operating range of helicopters and Aircraft	
	SYSTEM	Structure / Integration of Systems and LRUs	
END USE	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
OBE	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		FTS NO.060 Date: 26.12.1990	
DEVI	ELOPMENT AGENCY	M/s. JAYASURIYA ENTERPRISE, CHENNAI	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
		RCMA(H/C)/LTCC/55-2/2011 Date: 13.06.2011	