




VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES	
SPECIFICATION		201X 212H 7220 001	
PART NO. / DRAWING NO.		201X 212H 7220 001	
SIZES		As per drawing	
MATERIAL SPECIFICATION		HM4922, XC 80	
OPERATING TEMPERATURE		-55°C to +160°C	
END USE	SYSTEM	Heating and Ventilation System	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		201X 212H 7230 001		
SIZES		As per drawing		
MATERIAL SPECIFICATION		HM4922, XC 80		
OPERATING TEMPERATURE		- 55 °C to +160°C		
END USE	SYSTEM	POWER PLANT		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)	


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		201Y 215H 0000 210 to 201Y 215H 0000 220 (11 TYPES)		
SIZES		As per drawing		
MATERIAL SPECIFICATION		HM4922, XC 80		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Power Plant, Air-conditioning & Ventilation system		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)	


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		201P 215H 4200 001		
SIZES		As per drawing		
MATERIAL SPECIFICATION		HM4922, XC 80		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air-conditioning & Ventilation system		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)	


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		201P 215H 4300 001		
SIZES		As per drawing		
MATERIAL SPECIFICATION		HM4922, XC 80		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air-conditioning & Ventilation system		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)	


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		201P 215H 4400 001	
SIZES		As per drawing	
MATERIAL SPECIFICATION		HM4922, XC 80	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air-conditioning & Ventilation system	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		201P 215H 4500 001	
SIZES		As per drawing	
MATERIAL SPECIFICATION		HM4922, XC 80	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air-conditioning & Ventilation system	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE	LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----	RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)	


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		201P 215H 4600 001	
SIZES		As per drawing	
MATERIAL SPECIFICATION		HM4922, XC 80	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air-conditioning & Ventilation system	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		201P 215H 4700 001	
SIZES		As per drawing	
MATERIAL SPECIFICATION		HM4922, XC 80	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air-conditioning & Ventilation system	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)


VENTILATION HOSES

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSES		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		201P 215H 4800 001		
SIZES		As per drawing		
MATERIAL SPECIFICATION		HM4922, XC 80		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air-conditioning & Ventilation system		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2008 Date: 14.01.2008	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/4001 2200 1300		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/4001 ID52650		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/4001 1600 8700		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/4001 1601 0300		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201P 215H 4900 001		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201P 214H 0000 203		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201P 214H 0000 210		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
PECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201P 216H 3400 001		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201P 218H 0000 302, 303 & 304 (3 TYPES)		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201P 282H 0000 202 & 203		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		AE/201P 285H 1100 209	
SIZES		As per requirement	
MATERIAL SPECIFICATION		HM 4922	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air Condition & Ventilation System	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)


VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		AE/201P 285H 2100 233	
SIZES		As per requirement	
MATERIAL SPECIFICATION		HM 4922	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air Condition & Ventilation System	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)

VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE	
SPECIFICATION		HM 4922	
PART NO. / DRAWING NO.		AE/201P 285H 4100 211	
SIZES		As per requirement	
MATERIAL SPECIFICATION		HM 4922	
OPERATING TEMPERATURE		- 55°C to +160°C	
END USE	SYSTEM	Air Condition & Ventilation System	
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable	
	LIFE	ON CONDITION	
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007	
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM	
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)

VENTILATION HOSE

DESCRIPTION OF THE ITEM		VENTILATION / FIRE PROOF HOSE		
SPECIFICATION		HM 4922		
PART NO. / DRAWING NO.		AE/201Z 218H 0000 301 to AE/201Z 218H 0000 308 (8 types)		
SIZES		As per requirement		
MATERIAL SPECIFICATION		HM 4922		
OPERATING TEMPERATURE		- 55°C to +160°C		
END USE	SYSTEM	Air Condition & Ventilation System		
	HELICOPTER / AIRCRAFT	Helicopters and other Aircraft wherever suitable		
	LIFE	ON CONDITION		
TEST SCHEDULE / TEST ORDER NO.		QTS/ALH/085 Date: 15.05.2007		
DEVELOPMENT AGENCY		M/s. AEROSPACE ENGINEERS, SALEM		
PROVISIONAL CLEARANCE NO. & DATE		LOCAL TYPE CERTIFICATION COMMITTEE APPROVAL NO.	TYPE APPROVAL NO.	
----		RCMA(H/C)/LTCC/55-2/2009 Date: 16.01.2009	TA 1171 (for rubber compound)	